

BTEC National Extended Certificate

Applied Science

Summer Independent Learning

Y11-12

Part 1 – Compulsory Content (pages 2-15)

1. Watch the videos and complete the notes – you may consider adding flashcards / condensed notes, so you can use them to test yourself (metacognition)
2. Complete the follow up application questions
3. Correct and improve the questions where available (mark scheme at the end of the document)

This will be assessed in the initial assessment

Part 2 – Highly Recommended (pages 16-18)

This will be beneficial to you and help you succeed in your lessons.

Compulsory content

Unit 1: Principles and Applications of Science I

Answer all the questions. There are links to websites which you may find helpful. You will be given a test on these concepts at the start of the term.

This unit covers some of the key science concepts in biology, chemistry and physics.

This section looks at some of the chemistry concepts you have covered at GCSE and will cover in more depth in Unit 1.


Chemistry - Periodicity and properties of elements

Atomic Structure

<https://www.bbc.co.uk/bitesize/guides/zwn8b82/revision/3> (pages 3,4 and 5)

https://phet.colorado.edu/sims/html/build-an-atom/latest/build-an-atom_en.html

Q1. Figure 1 shows an atom of element G.



Draw a ring around the correct answer to complete each sentence.

(a) Label **A** shows
 an electron an ion a nucleus (1)

(b) Label **B** shows
 an isotope a molecule a neutron (1)

(c) The atomic number of element **G** is
 5 6 10 11 16 (1)

(d) The mass number of element **G** is
 5 6 10 11 16 (1)

Periodic Table

<https://www.bbc.co.uk/bitesize/guides/ztv797h/revision/2> (pages 2-8)

<https://www.rsc.org/periodic-table/>


Q2. The Periodic table below contains **six** errors. Highlight these.

																H																	He
Li	Be											B	C	N	O	F	Ne																
Na	Mg											Al	Si	P	S	Cl	Ar																
K	Ca	Sc	Ti	V	Cr	Mn	Fe	Co	Ni	Cu	Zn	Ga	Ge	As	Se	Br	Kr																
Rb	Sr	Y	Zr	Nb	Mo	Tc	Ru	Rh	Pd	Ag	Cd	In	Sn	Sb	Te	I	Xe																
Cs	Ba	La	Hf	Ta	W	Re	Os	Ir	Pt	Au	Hg	Tl	Pb	Bi	Po	At	Rn																
Fr	Ra	Ac	Rf	Db	Sg	Bh	Hs	Mt	Ds	Rg																							

(6)

Q3. Complete the labels on the diagram below using the following terms:

metals non-metals group period
 Noble gases Alkali-Earth metals Halogens Alkali metals



Q4. Read the information below on element **X** carefully. Use this to help you answer the questions which follow.

Element **X** has two different isotopes, both of which contain 17 protons. The least abundant isotope contains 20 neutrons. The second isotope is three times more abundant and contains 2 more neutrons. All the atoms contain 2 electrons in the first shell, 8 electrons in the second shell and 7 electrons in the third.

(a) Where in the Periodic Table is element **X** found:

Group: Period: (2)

(b) Use the Periodic Table in **Q3**, the **key** and your answer to **Q4.(a)** to complete **Figure 2**, for element **X**



(c) Is element **X** a metal or non-metal? (1)

(d) Identify an element, in the same group as **X**, which has a lower boiling point than **X**.
 (1)


□ **Chemical reactions and equations**

<https://www.bbc.co.uk/bitesize/guides/zy4pmsg/revision/1> (pages 1-6)
<https://www.bbc.co.uk/bitesize/guides/z2bfxfr/revision/1> (pages 1,2)


Equations are used to show chemical reactions.

Reactants are written on the left of the arrow and products are written on the right.

For example:



Atoms cannot be created or destroyed. They are simply rearranged. Therefore, the equation with formulae needs balancing. (You can only add more of the same molecules. You cannot change the formula of any.)



The relative formula mass of a molecule/compound (M_r) can be calculated by adding the A_r of all the atoms it contains. The A_r value for all elements can be found in the Periodic Table.

A_r of C is 12.0, A_r of H is 1.0 and A_r of O is 16.0

M_r of $C_2H_6 = (2 \times 12.0) + (6 \times 1.0) = 30.0$

M_r of $O_2 = (2 \times 16.0) = 32.0$

M_r of $CO_2 = 12.0 + (2 \times 16.0) = 44.0$

M_r of $H_2O = (2 \times 1.0) + 16.0 = 18.0$


The total mass of the reactants = the total mass of the products

Mass of reactants = $(2 \times M_r C_2H_6) + (7 \times M_r O_2) = (2 \times 30.0) + (7 \times 32.0) = 284.0$

Mass of products = $(4 \times M_r CO_2) + (6 \times M_r H_2O) = (4 \times 44.0) + (6 \times 18.0) = 284.0$

Q5. Lithium reacts with water to form lithium hydroxide and hydrogen.

(a) Balance the symbol equation for this reaction



(b) (i) Complete the table below for this reaction (8)

	Reactant or product	State	M_r
Lithium			
Water	reactant	liquid	18.0
Lithium hydroxide			
Hydrogen			

(ii) Calculate the total mass of the reactants. Are these the same as the total mass of the products? Show your workings.

.....
 (2)

□ **Bonding**

Chemical reactions involve the breaking and making of bonds. This involves electrons being transferred or shared between atoms.

The total number of electrons at the end of the reaction must be the same as at the start.


Metal atoms **lose** electrons and form **positively** charged ions.

Non-metal atoms **gain** electrons and form **negatively** charged ions

OR by **sharing** them (in pairs) with another non-metal atom

<https://www.bbc.co.uk/bitesize/topics/z33rrwx> (ionic compounds, small molecules, metals and alloys)


How do you know which type of bonding is present in an element or compound? Consider the type of element(s) it contains:



Q6. The electronic structure of a potassium atom is 2,8,8,1

Draw a diagram to show the electronic structure of a potassium ion. Show the charge on the ion.


Q7. Complete the dot and cross diagram to show the electrons in the outer shells of ammonia, NH₃. Use the periodic table to help you.



(2)

(2)

Q8. The diagrams shown an atom of magnesium and an atom of chlorine.



Describe, in terms of electrons, how magnesium atoms and chlorine atoms change into ions to produce Magnesium chloride, MgCl_2 .
You may draw labelled diagrams.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(4)

Unit 2: Practical Scientific Procedures and Techniques

In this internally assessed coursework unit you will be required to complete a lot of practical procedures and so it is important that you know about laboratory safety.

□ Laboratory Safety

- Watch the video on safety in the laboratory:
<https://www.youtube.com/watch?v=RhIOYhOvCsQ>

Use this to complete a list of safety rules to follow when completing any experiment.














1.
2.
3.
4.
5.
6.
7.
8.

(8)



You will be using a number of different chemicals and apparatus when completing these experiments.

- Follow the instructions provided to complete the table below on hazard symbols
 - Match the old hazard symbol to the new symbol.
 - Match the new hazard symbol to the hazard name.
<https://www.acs.org/content/dam/acsorg/about/governance/committees/chemicalsafety/publications/acs-secondary-safety-guidelines.pdf> (page 22 and 23)
 - List the precautions which should be taken (in addition to wearing a labcoat and safety glasses) when handling chemicals with these hazards to minimise the chance of an accident occurring.
<https://www.acs.org/content/dam/acsorg/about/governance/committees/chemicalsafety/publications/acs-secondary-safety-guidelines.pdf> (pages 38-40)

Old	New	Name	Precautions
		harmful / irritant	
		oxidising agent	
		flammable	
		harmful to the environment	
		corrosive	
		toxic	
			

(19)

Practical techniques – Unit 2A Chemistry

One of the practical techniques you will need to complete is the preparation of a standard solution and performing a titration to test the solution you have prepared.

- Watch these videos to help you answer the questions

<https://www.youtube.com/watch?v=xBKyjXUhJy0>


<https://www.youtube.com/watch?v=rLc148UCT2w>

https://www.youtube.com/watch?v=gzvzvDv_BnA

Q1. (a) What is a standard solution?

.....(1)

(b) The diagram below shows the apparatus used to make a standard solution of sodium carbonate. Complete the labels. (7)



(c) The standard solution prepared can be used to find the concentration of a solution of hydrochloric acid.





Figure 2.



(i) Complete the label to show name of the apparatus in which the acid is placed. (1)

(ii) What is the name given to this procedure? (1)

(iii) **Figure 2.** shows the level of the sodium carbonate solution in the burette at the start and the end of one titration. Use these to work out the volume of sodium carbonate added in the titration. Give your answer to 2 d.p.

Volume $\text{Na}_2\text{CO}_3(\text{aq})$ added = cm^3 (1)

Practical techniques – Unit 2C Biology

Another practical technique you will need to complete is chromatography.

- The links below may help you to answer the questions on this technique.


<https://www.youtube.com/watch?v=Ij5OWzhZSac>

<https://www.bbc.co.uk/bitesize/guides/z9dfxfr/revision/4>

Q2. (a) What is chromatography used for?

.....(1)

(b) A student used paper chromatography to analyse a black food colouring. They placed spots of known food colours, **A**, **B**, **C**, **D** and **E** and the black food colouring on a sheet of chromatography paper. They set up the apparatus as shown in **Diagram 1**.




The student made **two** errors in setting up the apparatus. Identify the **two** errors and describe the problem each error would cause.

.....

..... (4)

(c) A different student set up the apparatus without making any errors. The chromatogram in **Diagram 2** shows the student's results.



(i) What do the results tell you about the composition of the black food colouring?

.....

-(2)
 (ii) Use **Diagram 2.** to complete **Table 1.** (2)

Table 1.

	Distance in mm
Distance from start line to solvent front	
Distance moved by food colour C	

- (iii) Use your answers in (c)(ii) to calculate the R_f value for food colour **C**. Show your workings.

R_f value = (1)

- (iv) **Table 2.** gives the results of chromatography experiments that were carried out on some known food colours, using the same solvent as the students.

Table 2.

Name of food colour	Distance from start line to solvent front in mm	Distance moved by food colour in mm	R_f value
Ponceau 4R	62	59	0.95
Carmoisine	74	45	0.61
Fast red	67	27	0.40
Erythrosine	58	17	0.29

Which of the food colours in **Table 2.** could be food colour **C** from the chromatogram? Give the reason for your answer.

.....

 (2)

❑ Obtaining and analysing results obtained in an experiment

It is important to keep a record of all data whilst carrying out practical work. It is good practice to draw a table before starting the experiment and then enter results straight into the table.

Tables should have clear headings with units.

Time / min	Temperature / °C
0	27.6
1	27.4
2	27.2

The independent variable is the left-hand column in a table, with the following columns showing the dependent variables. All measurements should be written to the same number of decimal places (matching the precision of the measuring instrument).

<https://www.bbc.co.uk/bitesize/guides/zcxp6yc/revision/1>

<https://www.bbc.co.uk/bitesize/guides/zcxp6yc/revision/6>

Q3. A student was told to complete a practical to investigate how temperature affects the rate of a reaction. The student carried out the reaction at five different temperatures and recorded the time taken for each.

The student then calculated the rate of reaction, in s⁻¹ for each experiment using the equation:

$$\text{rate of reaction} = \frac{1}{\text{time}}$$

The student's results and calculations are shown below:

at 24.5 °C the experiment took 340 seconds	$1/340 = 0.0029 \text{ s}^{-1}$
at 39.0 °C it took 256 sec	$1/256 = 0.0039 \text{ s}^{-1}$
at 58.0 °C the experiment took 124 s	$1/124 = 0.0081 \text{ s}^{-1}$
80.5 °C 62 s	$1/62 = 0.0161$
51 °C 186 s	$1/186 = 0.0054$

(a) What is the independent variable in this experiment? Circle the correct answer

rate of reaction

time

temperature


(1)

(b) Tabulate the student's data in an appropriate manner.

(4)

..... / / /


Drawing a graph of the results obtained usually makes it easier to interpret the data and draw conclusions. The independent variable is shown on the x-axis and the dependent variable is shown on the y-axis. Axes should always be labelled with the quantity being measured and the units.



Data points should be marked with a cross, x.

When choosing the scales consider:

- the maximum and minimum values of each variable.
- whether 0,0 should be included as a data point.
- how to draw the axes without using difficult scale markings (e.g. multiples of 3, 7, etc)
- the data points should cover at **least half** of the grid supplied for the graph.



Consider the following when deciding where to draw a line of best fit:

- the line can be straight or curved
- the line should pass through, or very close to, the majority of plotted points (ignoring any anomalous points)
- for points not on the line make sure that there are as many points on one side of the line as the other
- the line should be continuous and drawn with a sharp pencil (use a rule for a straight line)
- the line will go through the origin (0,0) if a value of 0 for the independent variable would produce a value of 0 for the dependent variable


Practical techniques – Unit 2B Physics

Another practical technique you will need to complete is calorimetry. You will be required to produce cooling curves and calculate gradients to find the rate of cooling.

Q4. A student investigated how the temperature of a metal block changed with time.

An electric heater was used to increase the temperature of the block.

The heater was placed in a hole drilled in the block as shown in **Figure 1**.



The student measured the temperature of the metal block every 60 seconds. **Table 3.** shows the student's results.


Time in s	Temperature in °C
0	20.0
60	24.5
120	29.0
180	31.0
240	31.5

(a) Complete the graph of the data from **Table 3.** on **Figure 2.**

- Choose a suitable scale for the x-axis.
- Label the x-axis and label the y-axis.
- Plot the student's results.
- Draw a line of best fit.

(5)

Figure 2.



(b) Use the graph to find the temperature of the metal block at time 100 s.


Temperature at 100s = °C (1)

(c) The rate of change of temperature of the block is given by the gradient of the graph.
Determine the gradient of the graph over the first 60 seconds.

.....
.....

Gradient = °C / s (2)

Q5. A student measured the temperature of a substance cooling and solidifying over 18 minutes.
Below is the cooling curve plotted by the student.



(a) Identify the state of the substance between 1 and 3 minutes?
.....(1)

(b) Identify the state of the substance between 12 and 18 minutes?
.....(1)

(c) Identify the melting point of the substance?
.....°C (1)

(d) Describe in terms of particles, energy transfer and intermolecular forces, what happens to a substance during change of state from a liquid to solid.

.....
.....
.....
..... (4)

PTO for highly recommended content

Highly recommended content

Make notes from the following resources, then have a go at completing the questions

Titration and mole calculations

<https://www.bbc.co.uk/bitesize/guides/zx98pbk/revision/3>



<https://www.youtube.com/watch?v=wPGVQu3UXpw>



<https://www.youtube.com/watch?v=ovx-Sro4NXM>



Q1. This question is about acids and alkalis.

- (a) Dilute hydrochloric acid is a strong acid.

Explain why an acid can be described as both strong and dilute.


(2)

A student titrated 25.0 cm³ portions of dilute sulfuric acid with a 0.105 mol/dm³ sodium hydroxide solution.

- (c) The table below shows the student's results.

	Titration 1	Titration 2	Titration 3	Titration 4	Titration 5
Volume of sodium hydroxide solution in cm ³	23.50	21.10	22.10	22.15	22.15

The equation for the reaction is:



Calculate the concentration of the sulfuric acid in mol/dm³

Use only the student's concordant results.

Concordant results are those within 0.10 cm³ of each other.

Concentration of sulfuric acid = _____ mol/dm³

(5)

- (d) Explain why the student should use a pipette to measure the dilute sulfuric acid and a burette to measure the sodium hydroxide solution.

(2)

- (e) Calculate the mass of sodium hydroxide in 30.0 cm³ of a 0.105 mol/dm³ solution.

Relative formula mass (M_r): NaOH = 40

Mass of sodium hydroxide = _____ g

(2)

(Total 12 marks)

Q2. A student investigated the reactions of copper carbonate and copper oxide with dilute hydrochloric acid.

In both reactions one of the products is copper chloride.

(a) Describe how a sample of copper chloride crystals could be made from copper carbonate and dilute hydrochloric acid.

(4)

(b) A student wanted to make 11.0 g of copper chloride.

The equation for the reaction is:



Relative atomic masses, *A*_r: H = 1; C = 12; O = 16; Cl = 35.5; Cu = 63.5

Calculate the mass of copper carbonate the student should react with dilute hydrochloric acid to make 11.0 g of copper chloride.

Mass of copper carbonate = _____ g

(4)

(c) The percentage yield of copper chloride was 79.1 %.

Calculate the mass of copper chloride the student actually produced.

Actual mass of copper chloride produced = _____ g

(2)