

# OCR Cambridge National Applied Science Summer Independent Learning Y11-12

# Part 1 – Compulsory Content (pages 2-15)

- 1. Watch the videos and complete the notes you may consider adding flashcards / condensed notes, so you can use them to test yourself (metacognition)
- 2. Complete the follow up application questions
- 3. Correct and improve the questions where available (mark scheme at the end of the document)

This will be assessed in the initial assessment

# Part 2 – Highly Recommended (pages 16-18)

This will be beneficial to you and help you succeed in your lessons.

# **Compulsory content**

# **Unit 1: Principles and Applications of Science I**

Answer all the questions. There are links to websites which you may find helpful. You will be given a test on these concepts at the start of the term.

This unit covers some of the key science concepts in biology, chemistry and physics.


This section looks at some of the chemistry concepts you have covered at GCSE and will cover in more depth in Unit 1.

### **Chemistry - Periodicity and properties of elements**

### □ Atomic Structure

https://www.bbc.co.uk/bitesize/guides/zwn8b82/revision/3 (pages 3,4 and 5) https://phet.colorado.edu/sims/html/build-an-atom/latest/build-an-atom en.html

### Q1. Figure 1 shows an atom of element G.



### □ Periodic Table


https://www.bbc.co.uk/bitesize/guides/ztv797h/revision/2 (pages 2-8) https://www.rsc.org/periodic-table/

### **Q2.** The Periodic table below contains **six** errors. Highlight these.

					Н												He
Li	Be											В	С	Ν	0	FI	Ne
na	Mg											Al	Si	Р	S	CL	Ar
K	Ca	Sc	Ti	٧	Cr	Mn	fe	со	Ni	Cu	Zn	Ga	Ge	As	Se	Br	Kr
Rb	Sr	У	Zr	Nb	Мо	Тс	Ru	Rh	рD	Ag	Cd	In	Sn	Sb	Te	I	Xe
Cs	Ва	La	Hf	Та	W	Re	Os	Ir	Pt	Au	Hg	TI	Pb	Bi	Ро	At	Rn
Fr	Ra	Ac	Rf	Db	Sg	Bh	Hs	Mt	Ds	Rg							

(6)

**Q3.** Complete the labels on the diagram below using the following terms:



**Q4.** Read the information below on element **X** carefully. Use this to help you answer the questions which follow.

Element **X** has two different isotopes, both of which contain 17 protons. The least abundant isotope contains 20 neutrons. The second isotope is three time more abundant and contains 2 more neutrons. All the atoms contain 2 electrons in the first shell, 8 electrons in the second shell and 7 electrons in the third.

(a)	Where	in the	Periodic	Table is e	element X	found
(a)	VVIIEIE	III UIE	renouic	Table is	sieilielit 🔨	IUU

Group: ...... Period: ..... (2)

(b) Use the Periodic Table in Q3. the **key** and your answer to Q4.(a) to complete **Figure 2**. for element X



(c) Is element X a metal or non-metal? ......

(4)

(d) Identify an element, in the same group as  ${\bf X}$ , which has a lower boiling point than  ${\bf X}$ .

.....(1)


□ Chemical reactions and equations

https://www.bbc.co.uk/bitesize/guides/zy4pmsg/revision/1 (pages 1-6) https://www.bbc.co.uk/bitesize/guides/z2bfxfr/revision/1 (pages 1,2)


Equations are used to show chemical reactions.

Reactants are written on the left of the arrow and products are written on the right.

For example:



Atoms cannot be created or destroyed. They are simply rearranged. Therefore, the equation with formulae needs balancing. (You can only add more of the same molecules. You cannot change the formula of any.)



The relative formula mass of a molecule/compound  $(M_r)$  can be calculated by adding the  $A_r$  of all the atoms it contains. The  $A_r$  value for all elements can be found in the Periodic Table.

 $A_r$  of C is 12.0,  $A_r$  of H is 1.0 and  $A_r$  of O is 16.0

$$M_r$$
 of  $C_2H_6 = (2 \times 12.0) + (6 \times 1.0) = 30.0$ 

$$M_r$$
 of  $O_2 = (2 \times 16.0) = 32.0$ 

$$M_r$$
 of  $CO_2 = 12.0 + (2 \times 16.0) = 44.0$ 

$$M_r$$
 of  $H_2O = (2 \times 1.0) + 16.0 = 18.0$ 

(8)

The total mass of the reactants = the total mass of the products

Mass of reactants = 
$$(2 \times M_r C_2 H_6) + (7 \times M_r O_2) = (2 \times 30.0) + (7 \times 32.0) = 284.0$$

Mass of products = 
$$(4 \times M_r CO_2) + (6 \times M_r H_2O) = (4 \times 44.0) + (6 \times 18.0) = 284.0$$

**Q5.** Lithium reacts with water to form lithium hydroxide and hydrogen.

(a) Balance the symbol equation for this reaction

..... Li(s) + ..... 
$$H_2O(I) \rightarrow$$
 ..... LiOH(aq) +  $H_2(g)$  (1)

(b) (i) Complete the table below for this reaction

	Reactant or product	State	M <sub>r</sub>
Lithium			
Water	reactant	liquid	18.0
Lithium hydroxide			
Hydrogen			

(ii) Calculate the total ma Show your workings.	ss of the reactants. Are these the same as the total mass of the products?
	(2

Bonding

Chemical reactions involve the breaking and making of bonds. This involves electrons being transferred or shared between atoms.

The total number of electrons at the end of the reaction must be the same as at the start.


Metal atoms lose electrons and form positively charged ions.

Non-metal atoms gain electrons and form negatively charged ions

OR by sharing them (in pairs) with another non-metal atom


https://www.bbc.co.uk/bitesize/topics/z33rrwx (ionic compounds, small molecules, metals and alloys)

How do you know which type of bonding is present in an element or compound? Consider the type of element(s) it contains:



**Q6.** The electronic structure of a potassium atom is 2,8,8,1 Draw a diagram to show the electronic structure of a potassium ion. Show the charge on the ion.


**Q7.** Complete the dot and cross diagram to show the electrons in the outer shells of ammonia, NH<sub>3</sub>. Use the periodic table to help you.



(2)

(2)

**Q8.** The diagrams shown an atom of magnesium and an atom of chlorine.



Describe, in terms of electrons, how magnesium atoms and chlorine atoms change into ions to produce Magnesium chloride,  $MgCl_2$ . You may draw labelled diagrams.

 	 	(4)

# **Practical Scientific Procedures and Techniques**

In this internally assessed coursework unit you will be required to complete a lot of practical procedures and so it is important that you know about laboratory safety.

### □ Laboratory Safety

 Watch the video on safety in the laboratory: <a href="https://www.youtube.com/watch?v=RhIOYhOvCsQ">https://www.youtube.com/watch?v=RhIOYhOvCsQ</a>

Use this to complete a list of safety rules to follow when completing any experiment.


3.	
6.	
8.	


















(8)

You will be using a number of different chemicals and apparatus when completing these experiments.

- Follow the instructions provided to complete the table below on hazard symbols
  - i) Match the old hazard symbol to the new symbol.
  - ii) Match the new hazard symbol to the hazard name.

    <a href="https://www.acs.org/content/dam/acsorg/about/governance/committees/chemicalsafety/publications/acs-secondary-safety-quidelines.pdf">https://www.acs.org/content/dam/acsorg/about/governance/committees/chemicalsafety/publications/acs-secondary-safety-quidelines.pdf</a> (page 22 and 23)</a>
  - List the precautions which should be taken (in addition to wearing a labcoat and safety glasses) when handling chemicals with these hazards to minimise the chance of an accident occurring. <a href="https://www.acs.org/content/dam/acsorg/about/governance/committees/chemicalsafety/publications/acs-secondary-safety-guidelines.pdf">https://www.acs.org/content/dam/acsorg/about/governance/committees/chemicalsafety/publications/acs-secondary-safety-guidelines.pdf</a> (pages 38-40)





Name	Precautions
harmful / irritant	
oxidising agent	
flammable	
harmful to the environment	
corrosive	
toxic	
	(19)

# □ Practical techniques - Chemistry


One of the practical techniques you will need to complete is the preparation of a standard solution and performing a titration to test the solution you have prepared.

 Watch these videos to help you answer the questions <a href="https://www.youtube.com/watch?v=xBKyjXUhJy0">https://www.youtube.com/watch?v=xBKyjXUhJy0</a>
 <a href="https://www.youtube.com/watch?v=rLc148UCT2w">https://www.youtube.com/watch?v=gzvzvDv</a> BnA


Q1. (a) What is a standard solution?	
	(4)

(b) The diagram below shows the apparatus used to make a standard solution of sodium carbonate.

Complete the labels. (7)



(c) The standard solution prepared can be used to find the concentration of a solution of hydrochloric acid.



- (i) Complete the label to show name of the apparatus in which the acid is placed.
- (ii) What is the name given to this procedure? ......(1)
- (iii) Figure 2. shows the level of the sodium carbonate solution in the burette at the start and the end of one titration. Use these to work out the volume of sodium carbonate added in the titration. Give your answer to 2 d.p.
  - Volume Na<sub>2</sub>CO<sub>3</sub>(aq) added = ...... cm<sup>3</sup> (1)

(1)


# ☐ Practical techniques – Biology

Another practical skill you will need to complete is analysing and interpreting data.

 The links below may help you to answer the questions on this technique. <a href="https://www.youtube.com/watch?v=lj5OWzhZSac">https://www.youtube.com/watch?v=lj5OWzhZSac</a>
 <a href="https://www.bbc.co.uk/bitesize/guides/z9dfxfr/revision/4">https://www.bbc.co.uk/bitesize/guides/z9dfxfr/revision/4</a>

Q2. (a) What is chromatography used for?


(b) A student used paper chromatography to analyse a black food colouring. They placed spots of known food colours, A, B, C, D and E and the black food colouring on a sheet of chromatography paper. They set up the apparatus as shown in **Diagram 1.** 



The student made **two** errors in setting up the apparatus. Identify the **two** errors and describe the problem each error would cause.

(c) A different student set up the apparatus without making any errors. The chromatogram in **Diagram** 2. shows the student's results.

Diagram 2



(i) What do the results tell you about the composition of the black food colouring?

(ii)	Use <b>Diagram 2.</b> to complete <b>Table 1. Table 1.</b>					
				Distance in mm		
	Distance from start line	e to solvent front				
	Distance moved by foo	od colour <b>C</b>				
(iii)	Use your answers in <b>(c</b> )	(ii) to calculate the R <sub>f</sub> va	lue f	or food colour <b>C</b> . Show your v	_l vorkinas.	
(,	eee year anewere in (e)	(ii) to saisalate the right		or room conomic of one in your .	veriunge.	
				R <sub>f</sub> value =	(1	
				nents that were carried out or	some known	
	lood colours, using the	same solvent as the stud <b>Tab</b>				
		Distance from start line		Distance moved by food		
	Name of food colour	solvent front in mm	: 10	colour in mm	R <sub>f</sub> value	
	Ponceau 4R	62		59	0.95	
	Carmoisine	74		45	0.61	
	Fast red	67		27	0.40	
	Erythrosine	58		17	0.29	
	Which of the food colours in <b>Table 2</b> . could be food colour <b>C</b> from the chromatogram? Give the reason for your answer.					
					(2	

### □ Obtaining and analysing results obtained in an experiment

It is important to keep a record of all data whilst carrying out practical work. It is good practice to draw a table before starting the experiment and then enter results straight into the table.

Tables should have clear headings with units.

Time / min	Temperature / °C
0	27.6
1	27.4
2	27.2

The independent variable is the left-hand column in a table, with the following columns showing the dependent variables. All measurements should be written to the same number of decimal places (matching the precision of the measuring instrument).

https://www.bbc.co.uk/bitesize/guides/zcxp6yc/revision/1https://www.bbc.co.uk/bitesize/guides/zcxp6yc/revision/6

**Q3.** A student was told to complete a practical to investigate how temperature affects the rate of a reaction. The student carried out the reaction at five different temperatures and recorded the time taken for each.

The student then calculated the rate of reaction, in s<sup>-1</sup> for each experiment using the equation:

The student's results and calculations are shown below:

at 24.5 °C the experiment took 340 seconds  $1/340 = 0.0029 \text{ s}^{-1}$ at 39.0 °C it took 256 sec  $1/256 = 0.0039 \text{ s}^{-1}$ at 58.0 °C the experiment took 124 s  $1/124 = 0.0081 \text{ s}^{-1}$  80.5 °C 62 s 1/62 = 0.0161 51 °C 186 s 1/186 = 0.0054

(a) What is the independent variable in this experiment? Circle the correct answer

rate of reaction tin

temperature

(1) (4)

**(b)** Tabulate the student's data in an appropriate manner.


(4)

/	/	

Drawing a graph of the results obtained usually makes it easier to interpret the data and draw conclusions.

The independent variable is shown on the *x*-axis and the dependent variable is shown on the *y*-axis.


Axes should always be labelled with the quantity being measured and the units.



Data points should be marked with a cross, x.

When choosing the scales consider:

- the maximum and minimum values of each variable.
- whether 0,0 should be included as a data point.
- how to draw the axes without using difficult scale markings (e.g. multiples of 3, 7, etc)
- the data points should cover at **least half** of the grid supplied for the graph.



Consider the following when deciding where to draw a line of best fit:

- the line can be straight or curved
- the line should pass through, or very close to, the majority of plotted points (ignoring any anomalous points)
- for points not on the line make sure that there are as many points on one side of the line as the other
- the line should be continuous and drawn with a sharp pencil (use a rule for a straight line)
- the line will go through the origin (0,0) if a value of 0 for the independent variable would produce a value of 0 for the dependent variable


# □ Practical techniques - Physics

Another practical skill you need is to draw and interpret graphs. You will be required to produce cooling curves and calculate gradients to find the rate of cooling.

**Q4.** A student investigated how the temperature of a metal block changed with time.

An electric heater was used to increase the temperature of the block.

The heater was place in a hole drilled in the block as shown in Figure 1.



The student measured the temperature of the metal block every 60 seconds. **Table 3.** shows the student's results.

Table 3.

Time in s	Temperature in °C
0	20.0
60	24.5
120	29.0
180	31.0
240	31.5


(a) Complete the graph of the data from Table 3. on Figure 2.

- Choose a suitable scale for the x-axis.
- Label the x-axis and label the y-axis.
- Plot the student's results.

Draw a line of best fit.

(5)

Figure 2.



.....

(c) The rate of change of temperature of the block is given by the gradient of the graph.  Determine the gradient of the graph over the first 60 seconds.  Gradient =	C (1)
Q5. A student measured the temperature of a substance cooling and solidifying over 18 minutes. Below is the cooling curve plotted by the student.    1	
Below is the cooling curve plotted by the student.  90 85 70 65 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18  Time/min  (a) Identify the state of the substance between 1 and 3 minutes?  (b) Identify the state of the substance between 12 and 18 minutes?  (c) Identify the melting point of the substance?	S (2)
(a) Identify the state of the substance between 1 and 3 minutes?  (b) Identify the state of the substance between 12 and 18 minutes?  (c) Identify the melting point of the substance?	
<ul><li>(b) Identify the state of the substance between 12 and 18 minutes?</li><li>(c) Identify the melting point of the substance?</li></ul>	
<ul><li>(b) Identify the state of the substance between 12 and 18 minutes?</li><li>(c) Identify the melting point of the substance?</li></ul>	(4)
(c) Identify the melting point of the substance?	(1)
(d) Describe in terms of particles, energy transfer and intermolecular forces, what happens to a substance during change of state from a liquid to solid.	
	(4)

(b) Use the graph to find the temperature of the metal block at time 100 s.

PTO for highly recommended content

# **Highly recommended content**

Make notes from the following resources, then have a go at completing the questions

### Titrations and mole calculations

https://www.bbc.co.uk/bitesize/guides/zx98pbk/revision/3

https://www.youtube.com/watch?v=wPGVQu3UXpw







https://www.youtube.com/watch?v=ovx-Sro4NXM

- **Q1.**This question is about acids and alkalis.
  - (a) Dilute hydrochloric acid is a strong acid.

Explain why an acid can be described as both strong and dilute.

(2)

A student titrated 25.0 cm³ portions of dilute sulfuric acid with a 0.105 mol/dm³ sodium hydroxide solution.

(c) The table below shows the student's results.

_	Titration	Titration	Titration	Titration	Titration
	1	2	3	4	5
Volume of sodium hydroxide solution in cm <sup>3</sup>	23.50	21.10	22.10	22.15	22.15

The equation for the reaction is:

2 NaOH + 
$$H_2SO_4 \rightarrow Na_2SO_4 + 2 H_2O$$

Calculate the concentration of the sulfuric acid in mol/dm3

Use only the student's concordant results.

Concentration of sulfuric acid =	mol/dm <sup>3</sup>
Explain why the student should use a pinette to measure the dilute sulfur	ric acid and a
Explain why the student should use a pipette to measure the dilute sulfur burette to measure the sodium hydroxide solution.	ric acid and a
Explain why the student should use a pipette to measure the dilute sulfur burette to measure the sodium hydroxide solution.	ric acid and a
Explain why the student should use a pipette to measure the dilute sulfur burette to measure the sodium hydroxide solution.	ric acid and a
Explain why the student should use a pipette to measure the dilute sulfur burette to measure the sodium hydroxide solution.	ric acid and a
Explain why the student should use a pipette to measure the dilute sulfur burette to measure the sodium hydroxide solution.	ric acid and a
burette to measure the sodium hydroxide solution.	
burette to measure the sodium hydroxide solution.  Calculate the mass of sodium hydroxide in 30.0 cm³ of a 0.105 mol/dm³ s	
burette to measure the sodium hydroxide solution.  Calculate the mass of sodium hydroxide in 30.0 cm³ of a 0.105 mol/dm³ s	
burette to measure the sodium hydroxide solution.  Calculate the mass of sodium hydroxide in 30.0 cm³ of a 0.105 mol/dm³ s	
burette to measure the sodium hydroxide solution.  Calculate the mass of sodium hydroxide in 30.0 cm³ of a 0.105 mol/dm³ s	
Explain why the student should use a pipette to measure the dilute sulfur burette to measure the sodium hydroxide solution.  Calculate the mass of sodium hydroxide in 30.0 cm³ of a 0.105 mol/dm³ selative formula mass ( <i>M</i> <sub>r</sub> ): NaOH = 40	

a	and dilute hydrochloric acid.	
_		
_		
_		
_		
_		
_		
_		
A	A student wanted to make 11.0 g of copper chloride.	
T	he equation for the reaction is:	
	$CuCO_3 + 2HCI \rightarrow CuCI_2 + H_2O + CO_2$	
	Relative atomic masses, $A_r$ : H = 1; C = 12; O = 16; CI = 35.5; Cu = 63.5	
	Calculate the mass of copper carbonate the student should react with dilute hydrochloricated to make 11.0 g of copper chloride.	3
_		
_		
	Mass of copper carbonate =	_ (
Т	he percentage yield of copper chloride was 79.1 %.	
C	Calculate the mass of copper chloride the student actually produced.	
-		

Q2. A student investigated the reactions of copper carbonate and copper oxide with dilute hydrochloric

acid.